


DOCUMENT SCAN CONTROL SHEET

Document ID 508594



EPA # 9198-65

EPA #
For SLN

Product THE ANDERSONS PROFESSIONAL TURF PRODUCTS CRABGRASS
Name PREVENTER WITH 4.7% TUPERSAN

Accepted
Date 10/23/2006

Document
Type PRILAB

Registration ID 114183



Professional Turf™ Products

Crabgrass Preventer with 4.7% Tupersan®

A preemergent herbicide for the control of common crabgrass in established and newly seeded lawns.


Active Ingredient:

Siduron*	4.70%
Other Ingredients	95.30%
Total	100.00%

*CAS No. 1982-49-6

EPA Reg. No. 9198-65
EPA Est. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag

Tupersan is a registered trademark of Gowan Company LLC



KEEP OUT OF REACH OF CHILDREN Doc F10
CAUTION 508594
PRECAUTIONARY STATEMENTS

FIRST AID

- If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin, eyes, and clothing. Avoid breathing dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift of dust may cause injury to nearby susceptible plants.

GENERAL INFORMATION

This product is formulated to prevent the growth of both smc seeded or well established lawn. It will also aid in controlling as Foxtail and Barnyard grass. This product will not damage even if applied at time of seeding.

IMPORTANT:

Use only on bluegrass, fescue, redtop, smooth brome, perel following strains of bentgrass: Pennncross, Seaside, Astoria, on other bentgrass strains nor on Bermudagrass, as injury to annual bluegrass (*Poa annua*), clover or most broadleaf we

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manne

Not for use on plants being grown for sale or other commerci or for research purposes. For use on plants intended for ae and being grown in ornamental gardens or parks, or on golf

Apply to the lawn during the spring of the year prior to the g obtained when application is made approximately 2-3 weeks suggested that application be avoided during February or ea

NEWLY SEEDED LAWNS

1. Apply contents evenly over 4,000 square feet immedia sq. ft.). For best results repeat applications in 4 weeks
2. Provide sufficient moisture to insure germination of new

ESTABLISHED, OVERSEEDED OR PATCHED LAWNS

1. Apply contents evenly over 2,000 square feet immedia
2. For best results, the lawn should be watered thoroughl
3. Before application, lawn should be raked to remove ex application. In order to obtain expected results, this pr skips or misses.

NOTE - DO NOT RAKE LAWN or DISTURB SOIL SURFAC food is recommended in the Summer and Fall.

RESTRICTIONS

Do not contaminate water used for irrigation or domestic pu or ponds. Do not store near seed, other fertilizers, insectici vegetable crops. DO NOT HAND SPREAD.

Suggested Spreader Settings		
These suggested spreader settings are not in Please calibrate your spreader before		
20 lbs. treats 8,000 sq. ft. (0.18 acre) at the 109 lbs. produ		
20 lbs. treats 4,000 sq. ft. (0.09 acre) at the 218 lbs. produ		
SPREADER	GROUND SPEED	VOLUME
Andersons AccuPro 2000, SR-2000 (cone 8)	3 mph	
Andersons AccuPro 1000	3 mph	
Scotts R-8A (cone 8)	3 mph	
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern II	4.5 mph	
Vicon (D3 Series)	4.5 mph	

with both smooth and hairy crabgrass in either a newly
aid in controlling certain other annual weed grasses such
will not damage most of the commonly used lawn grasses

with brome, perennial ryegrass, orchardgrass, and the
easies, Astoria, Nimisifa, C-1, C-7, and C-19. Do not use
grass, as injury to turf may result. Treatment will not control
st broadleaf weeds.

duct in a manner inconsistent with its labeling.

other commercial use, or for commercial seed production,
intended for aesthetic purposes or climatic modification
arks, or on golf courses or lawns.

ar prior to the germination of crabgrass. Best results are
tely 2-3 weeks before crabgrass appears. It is, therefore,
February or early March.

re feet immediately after seeding (2 1/2 lbs. per 1,000
ions in 4 weeks.

mination of new grass seed.

ED LAWNS

re feet immediately after seeding (5 lbs. per 1,000 sq. ft.).

tered thoroughly within 3 days after application.

ed to remove extraneous material and insure uniform
d results, this product should be evenly applied with no

SOIL SURFACE after application. Application of a turf
all.

or domestic purposes. Do not contaminate feed, foodstuff,
ilizers, insecticides, or fungicides. Do not apply to

ted Spreader Settings

ettings are not intended to replace calibration.

ur spreader before applying product.

e 109 lbs. product/acre - LOW RATE (2.5 lbs./1,000 sq. ft.)

e 218 lbs. product/acre - HIGH RATE (5.0 lbs./1,000 sq. ft.)

GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
		LOW RATE 5.1 lbs. ai/A	MEDIUM RATE 10.2 lbs. ai/A
3 mph	9 feet	J	N
3 mph	9 feet	J	N
3 mph	9 feet	1 1/2	N
4.5 mph	16 feet	4 3/4	9
4.5 mph	10 feet	18	27

NOTE: These suggestions are for your guidance, and are in no sense a guarantee of exact applica-
tion. Age, condition of spreader, speed of operation and roughness of terrain can cause variations in
the rates applied.

Be sure to calibrate your spreader with each application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs and domestic water
supplies.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mix-
ture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes
cannot be disposed of by use according to label instructions, contact your State Pesticide or
Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional
Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then
dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by
burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this
product. If terms are not acceptable, return the unopened product container at once. By using this product,
user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reason-
ably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer
makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR
A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY
FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase
price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR
COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL
DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEAGL RIGHTS; YOU MAY HAVE OTHER RIGHTS
THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd062802)

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119, Maumee, OH 43537
www.andersonslawnproducts.com

Net Wt. 20 Lbs. (9.07 kg)

Treats 4,000 Sq. Ft. (Established lawns)
Treats 8,000 Sq. Ft. (Newly seeded lawns)



APTCPT2
16 (BLKP1526B)